



Contents

About Us	page	5
Assisted Bath Product Guide	page	7
Excel 600. Height Adjustable Bath with Powered Swing Seat	page	8
Excel 600	page	10
Excel 400Height Adjustable Bath	page	12
Excel 400Accessories & Options	page	13
Excel 300Fixed Bath with Powered Swing Seat	page	14
Excel 300Fixed Bath with Detachable Seat & Transporter	page	15
Excel 100Fixed Bath	page	16
A the LD of A		1-
Assisted Bath Accessories	. page	. 17
Marius		
Assisted Bath Accessories Marius Easy Access Bath Phocas Easy Access Bath	page	19
Marius Easy Access Bath Phocas Easy Access Bath Lenis	page page	19 19
Marius Easy Access Bath Phocas Easy Access Bath Lenis Easy Access Bath Valens	page page page	19 19 20
Marius Easy Access Bath Phocas Easy Access Bath Lenis Easy Access Bath Valens Easy Access Bath Talis	page page page	19 19 20 22
Marius Easy Access Bath Phocas	page page page	19 19 20 22 24
Marius Easy Access Bath Phocas Easy Access Bath Lenis Easy Access Bath Valens Easy Access Bath Talis Easy Access Bath	page page page page	19 19 20 22 24



About Us

We are your nationwide, award-winning healthcare sector supplier, specialising in medical care equipment including servicing and aftercare.

Since 1992, we have been building and maintaining long standing relationships within the care sector. Our renowned suppliers enable us to bring you specialised products consistently.

Our bathroom partners are a long-established, family-owned manufacturer of baths and showers, specifically designed for the assisted bathing market. Together we have created an expert bathing division offering customers high quality, innovative products which help organisations and individuals advocate dignity in care.

The Products

The Renaissance Range of Assisted and Easy Access Baths has been developed to offer a solution to the vast majority of bathing needs. Products are designed to give both the bather and the carer the best experience in terms of comfort and ease of use.

This range of baths offers a stylish and practical solution for bathing, either in a multi-user environment such as care and nursing homes or for individuals living in their own home.

All assisted bathing products are designed with safety and ease of use in mind. The Excel 300, 400 and 600 models are WRAS-approved and include bath fill and shower systems with a battery backup facility in case of a mains power failure. The specialist designs are created and manufactured by in-house engineers, based in the North East of England. We deliver from factory and build to order, to ensure a high quality, robust product created to last for years.

Our Service & Support

At Beaucare, we listen and we deliver. Our nationwide team's survey, audit and plan installations with each order as standard, we understand every setting is different and we want to ensure we get it right for you.

When you order a bathing solution from us you have access to dedicated Account Managers overseeing the full process, expert Engineers and the option of a full aftercare service and maintenance schedule for your equipment.

A combination of quality materials and advanced manufacturing techniques enable us to offer a 25-year guarantee* on the bath shell against manufacturing or material defects. All mechanical and electronic components have a full 12-month warranty.

*The Marius and Phocas models have a 5-year guarantee



Assisted Bath Product Guide


Assisted Bath Product Guide A quick guide to choosing the correct bath for your needs A quick guide to choosing the correct bath for your needs Model Height Adjustable Product Guide Pather Repaired Product											Assie					
	_{Hē} id ^j	it Adjusti	de reight	edsnir	95eat 100	TSOM	, 100 th	, oppur	Baliati	c Option	APPROVIDE NEAR	nd Arms	Salt Mills	shower sy	stem stem	n chardroll
Model	Heid	kiteg	6020	40	7100	1800	1,900	128	Stanc	NRA	NRA	LWI	AirSi	Bluett	Color	7
Excel 600 Page 8-9	✓		✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Excel 600 Page 10-11	✓		✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Excel 400 Page 12-13	✓			✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	
Excel 300 Page 14		✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Excel 300 Page 15		✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	
Excel 100 Page 16		✓		✓	✓	✓	✓									

Excel 600 Height Adjustable Bath with Powered Swing Seat

(Safe-working load 24st/150kg)



















The Excel 600 Height Adjustable Bath with a Powered Swing Seat is for use in nursing situations or where enhanced care is required. The electrically operated bath rises smoothly up to a height of 1060mm, which enables the tallest of carers to assist the bather comfortably, once the seat has been gently lifted into the bath via the handset.

Safety Feature – If the mains power was to go off at any point, an alarm will sound if the handset is being used. The bath will then simply lower and the seat will lift out of the bath and come to a stop once it has reached its lowest position outside the bath. Neither the seat nor the bath will move again until the mains electricity has been restored.



The Excel 600 is available in three designs to suit different clients and/or the environment in which it is to be used.



1700 x 750mm end waste









1800 x 800mm end waste


The handset has four simple control buttons;

- 1. Takes the seat into the bath
- 2. Raises the bath to a comfortable height
- 3. Lowers the bath after bathing
- 4. Brings the seat back out of the bath.

Any of the actions can be stopped by simply lifting your finger off the button.

Bath Dimensions

Right-hand model depicted.



Excel 600 Height Adjustable Bath with Detachable Seat & Transporter

(Safe-working load 24st/150kg)


























The Excel 600 can be enhanced with the addition of a **Detachable Seat and Transporter.**

Improve the bathing experience for both the bather and carer by allowing ease of transfer and lifting.

Use the seat in the bedroom then easily affix it to the transporter to transfer the bather to the bathroom. Once positioned, the chair is automatically lifted out of the transporter into the bath without the need for further lifting or handling of the bather, offering an easier and simpler operation for the carer.

Once bathing is completed, the transporter can be aligned gently to the side of the bath via integrated magnets on both the bath panel and the back of the transporter to the correct position. The seated bather is mechanically lifted out of the bath and lowered onto the transporter. At this point, the arm disconnects from the seat and the transporter can be moved away from the bath and taken to the bedroom; no locks to unfasten and no transporter to disengage.

Once the seat is lifted up into the bath, the transporter can be moved away.





The seat has a removable panel to assist and improve access during personal care.

The Excel 600 is available in three designs to suit different clients and/or the environment in which it is to be used.



1700 x 750mm end waste 1700 x 750mm centre waste




1800 x 800mm end waste

The handset has four simple control buttons;

- 1. Takes the seat into the bath
- 2. Raises the bath to a comfortable height
- 3. Lowers the bath after bathing
- 4. Brings the seat back out of the bath. Any of the actions can be stopped by simply lifting your finger off the button.

Bath Dimensions

Right-hand model depicted.



Excel 400 Height Adjustable Bath

(Safe-working load 30st/185kg)





The Excel 400 Height Adjustable Bath is the popular choice where an integrated seat is not a practical solution for the bather. When a ceiling track hoist, mobile hoist, sling and/or cradle is required, this bath is the ideal solution for your needs. If hoist access is not required, this bath can also be supplied with a Full Bath Panel for aesthetic purposes (see page 14).

The Excel 400 is available in four designs to suit different clients and/or the environment in which it is to be used.



1700 x 750mm end waste



1700 x 750mm centre waste



1800 x 800mm end waste



1900 x 900mm centre waste Safe-working load 35st/220kg


The handset has two simple control buttons;


- 1. Raises the bath to a comfortable height
- 2. Lowers the bath after bathing

The bath can be stopped at any height by simply lifting your finger off the button.




Bath Dimensions





*maximum dimensions shown















Excel 400* Accessories & Options

*Can be used in conjunction with other baths, please speak to your Account Manager.

The Excel 400 Height Adjustable Bath can be used in conjunction with a number of accessories, as shown below. Many of these items can be made to suit the individual and as such, a consultation by one of our experienced staff would be beneficial to showcase the options available to you.



Luxury Changing Top – Available for the 1700 x 750mm and 1800 x 800mm end waste baths. The Luxury Changing Top has a machine-washable, removable mesh with the option of Head Support and/or Side Support Cushions for enhanced comfort and security for the bather.



Headrest Cushion - With the use of an integrated pump, air can be extracted from the cushion to mould it to the bather, offering advanced head support and comfort when needed. Attached to the bath with suction pads, ensures the cushion can be stored away when not in use and cleaned thoroughly.





In-Bath Cradle – If an individual requires additional security in the bath, the In-Bath Cradle is the perfect solution.

Whilst bathing the In-Bath Cradle is a platform where bathers can be secured and washed in-situ, offering carers additional peace of mind.

The In-Bath Cradle fabric is impregnated with Polygiene - an anti-bacterial coating, giving protection from bacteria and preventing cross-contamination.

The mesh fabric is removable, machine washable and easily refitted after each use.







Cradles and Transporters - Available in three sizes with a host of optional supports, the Cradle can be hoisted straight into the bath, either by an overhead track hoist or mobile hoist. If used in conjunction with the Transporter*, it can be tilted and used as a shower chair or positioned vertically over a toilet.

^{*}sold separately

Excel 300 Fixed Bath with Powered Swing Seat

(Safe-working load 24st/150kg)

The Excel 300 Fixed Bath with Powered Swing Seat is designed for people who require assistance for getting into and out of the bath but are not necessarily totally dependent on others to bathe.

This bath will allow some people to bathe themselves to retain their independence and as a fixed bath it can also be used in smaller bathrooms fitted against the wall. Please note, additional space is required in front of the

bath for the seat to swing out and for the user to get on and off the seat.

The Excel 300 can be supplied with a Full Bath Panel (as shown below) or if used in a facility where a hoist is required, a Hoist Access Panel is also available. The bath is supplied with the front panel as standard. End Panel(s) or an additional Side Panel are also available where required.



The Excel 300 is available in three designs to suit different clients and/or the environment in which it is to



1700 x 750mm end waste

1700 x 750mm centre waste









The handset has four simple control buttons;

- 1. Takes the seat into the bath
- 2. Raises the bath to a comfortable height Any of the actions can be stopped by simply lifting your finger off the button.

Bath Dimensions

Right-hand model depicted.

















Excel 300 Fixed Bath with Detachable Seat & Transporter

(Safe-working load 24st/150kg)

In some situations, the ability to ready the bather in the bedroom and transfer them to the bathroom is beneficial. The detachable **Seat** with **Transporter** enables this to happen. Once attached to the bath, the **Seat** is lifted off the **Transporter** straight into the bath via remote control without the need for further manual lifting and handling of the bather.





Transporter - Once the seat has been lowered onto the transporter the person can be moved away to another room with ease.



The seat has a removable panel to assist and improve access during personal care.



The Excel 300 is available in three designs to suit different bathers and environments in which it is to be used.



1700 x 750mm end waste



1700 x 750mm centre waste



1800 x 800mm end waste

Excel 100 Fixed Bath

The Excel 100 Fixed Bath is designed to be used in conjunction with either a ceiling track hoist or mobile hoist. The bath can be supplied with a Hoist Access Panel (as shown below) if a mobile hoist is required, or a Full Bath Panel if a ceiling track hoist is the preferred method of transfer.



Available in four designs the Excel 100 is supplied with the front panel as standard. End Panel(s) or an additional Side Panel are also available where required.



1700 x 750mm end waste



1800 x 800mm end waste




1700 x 750mm centre waste




1900 x 900mm centre waste Safe-working load 35st/220kg


The end waste models can be supplied with a detachable Changing Top if required.

Bath Dimensions





*maximum dimensions shown















Assisted Bath Accessories

Brassware - We offer a range of alternative options depending on the requirements of your environment.



Lever Taps are a popular choice and are used in conjunction with an **Underbath Valve**. They are a WRAS-approved solution.



Our Bath Filler, in conjunction with an Underbath Valve, gives you the ability to control the water temperature through one outlet.



The TMV3 Shower System (CAT5 Safe) is part of our WRAS-approved system and is the necessary choice in multi-user situations.



The TMV2 Bath/Shower Mixer is popular in domestic situations where the bath is used primarily by one person.



The Bath/Shower Mixer with a Top fixing Shower with an Underbath Valve is a brilliant value option if the user requires showering in tandem with our **Changing Top**.




The **Underbath Valve** is TMV3 rated and WRAS-approved. The valve ensures a safe working temperature, appropriate for those using the bath in line with regulations.

Sensory Options - Make bathing a more enjoyable and relaxing experience. We offer three sensory systems; Air Spa System, Bluetooth Audio and Colour Changing Lights.



The Air Spa System has 12 jets in the base of the bath alongside three settings. Pressing the button once gives a gentle massage effect. Pressing it again gives a stronger massage whilst pressing it a third time gives a vigorous massage. A fourth press switches the system off.




The **Bluetooth Audio** system allows wireless connection to the bath system so that users can listen to music, audio books or natural sounds, thus enhancing the relaxation bathing can offer.

The Colour Changing Lights* can be set to any one of our 11 coloured hues by simply pressing the operating button to your desired ambience. Alternatively, after the last solid colour choice, you have a further five dancing colour sequence options to liven up bathing times.














^{*}Ask our friendly team for the full colour range.



Marius Easy Access Bath

900mm Long x 650mm Wide x 860mm High



Marius features

- Fully formed acrylic tub with an inwards operating door
- An ideal solution for small spaces
- Specially designed moulded seat for bathers to have the option of sitting whilst bathing
- Double waste pipes allow for quick water drainage
- Supplied with Twin Wastes and a Side Panel as standard

The bath is available with left-hand hinged door only. The inward-opening door features a patented double hinged arrangement allowing for easy access in narrow and/or small spaces.

Phocas Easy Access Bath

1210mm Long x 650mm Wide x 945mm High



Lenis Easy Access Bath

1700mm Long x 750mm Wide x 550mm High











Left-hand model shown Right-hand model also available

We endeavour to provide accurate information but product development may alter certain specifications



Lenis with Shower Accessories Easy Access Bath

1700mm Long x 750mm Wide x 550mm High



Valens Easy Access Bath

1700mm Long x 945mm Wide x 750mm High





Valens features

- Fully formed acrylic bathtub with a separate operating glass door and bath screen
- Optional Lever-Operated Pop-Up Waste or Overflow Filler available
- Battery back up in case of power failure supported by an audible alarm
- Water sensor ensures the door remains inactive until water has passed below a certain level
- Soft Gel Headrest available



Bath screen is easily folded into or out of the bath



Door and screen are made from tempered safety glass



Door is operated electronically by a touch button



Low threshold height allowing easy access



Door can be operated manually, if preferred



The shower screen sits over the bath door, secured in place by magnets




Bath screen and door can be operated separately



Door folds into bath allowing wide access



Electronic door operating button indicator light shows when the bath is fully sealed





Left-hand model shown Right-hand model also available

Talis Easy Access Baths

1700mm Long x 800mm Wide x 510mm High





Talis features

- Electromagnets hold the shower door tightly locked
- Battery powered back up in the case of power failure supported by an audible alarm
- A water sensor near the base of the bath ensures the door will not open until the bath has drained
- Lever-Operated Pop-Up Waste or Overflow Filler available



Optional Bath Screen available



Choice of panel finishes for the modern bathroom



Bath available in left-hand or right-hand configurations. (right-hand model shown)



Entrance door swings into the bath for maximum access




Ultra low level access for easier mobility, approximately 80mm.



Easy to operate Lever Operated Pop-Up Waste. and/or Overflow Filler available



Right-hand model shown Left-hand model also available



The **Talis** is available in three finishes:



White High Gloss MDF Panel



Black High Gloss MDF Panel



White Styrene Panel

Pre-Installation Guide

Getting a new bathing solution is exciting, we understand that the planning and installation can be difficult to manage with your busy workload.

To make things a little easier below is a simple checklist of 10 points to help you get your bathing facilities ready for your installation engineer.

We carry out a site survey before installation but having the below checked off before-hand ensures we can schedule the installation faster.

Pre-Installation Checklist

Some of the below points have technical names for bathroom components, if you'd prefer - give us a ring and we can talk you through the checklist.

If you check 'X' to any of the below points, please contact us before your site survey and we can advise you on the required next step.



1.	Do you have isolated hot and cold 22mm pipes with 3/4" male BSP fittings?	√	X
2.	Is your waste water pipe 40mm wide and between 60-90mm higher than the floor?	√	X
3.	Is your bathroom electrical point a 4A (or above), IP rated fused spur?	√	X
4.	Is your bathroom electrical point isolated outside of the bathroom or water-tight?	√	X
5.	Do you have tiled, vinyl/lino or a water resistant bathroom floor?	√	X
6.	Is your bathroom floor free of exisiting water damage?	√	X
7.	Are we able to screw down into the floor? The foundation of the bathroom floor should be wood or concrete to ensure a secure fix.	√	X
8.	Have you measured the space to ensure both the new bath and resident/carer working space is sufficient?	√	X
9.	Hi/Lo baths generally do not require wall fixings, if purchasing a Hi/Lo bath are the adjacent walls water resistant?	√	X
10.	Is the path to the bathroom, clear and wide enough to accomodate delivery?	√	X












Bath Orientation Guide

We want to make sure your bath fits but also function correctly. Use the following guide to understand how a Renaissance bath will work in your space:



^{*}The above illustrations depict our Assisted Renaissance Bath Range only.

Extras Checklist

Personalise your bath with accessories to make bathing experiences even better.



^{*}All the above accessories are showcased on page 13

^{**}All the above accessories are showcased on page 17

Service & Maintenance

Nationwide aftercare for your new bathing solutions



Maintaining your new bath and keeping compliant with LOLER regulations is easy with Beaucare.

Your dedicated Account Manager can schedule your routine bath servicing, provide electronic certification and are on-hand to arrange callouts when necessary.

Our nationwide fleet of expert engineers is locally based to ensure quick call-out times with an emphasis on first time fixing for equipment. Packages range from ad hoc repair to bi-annual maintenance and inspection visits, providing you peace of mind that your equipment stays in safe and comfortable working condition.

Benefits of Beaucare Servicing

- Rapid ordering and dispatch of parts from our Yorkshire based hub
- Electronic asset register and certification log
- Fully equipped fleet with commonly required parts to encourage a first-time fix
- Proactive and efficient scheduling ensuring equipment is serviced within LOLER date



Nationwide Fleet Delivery



Fast Response & **Contact Times**



Diverse Parts Range



Dedicated Account Manager



Company

Contact us today on 01423 878896

For all your patient moving and handling equipment serving and routine maintenance. You only get expert advice, expert workmanship from an expert team, when you have Beaucare.

We endeavour to provide accurate information but product development may alter certain specifications













Caresource by Beaucare

As a leading healthcare supplier, we understand your priorities are our priorities. From medical equipment to servicing, hygiene consumables to infection control, it's no wonder why we are one of the fastest-growing supply companies within the care sector.

Whether you're a private care home, care home group, care provider or health trust – we are here for you. Our dedicated customer-focused, national teams, ensure you're listened to and expertly cared for.

Care providers come to us because we make it easy for them. Caresource is an online ordering portal designed to revolve around you, your organisation and your commitments.

Access information instantly with up to date insights on Products, Orders, Invoicing, Usage Reports, and so much more across your organisation.







Budget Control



Order Scheduling



Transparency



Dashboard



Book your demo with us today on 01423 873666



Or scan the QR Code to make sure you're in our diary.

With Caresource, product purchasing is simplified and streamlined across your organisation, with the information you need available to you instantly. **You only get Caresource, when you have Beaucare.**





















Contact Us

Hornbeam Square West, Hornbeam Park, Harrogate, North Yorkshire, HG2 8PA t: 01423 873666 | f: 01423 873444 | www.beaucare.com